

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMD910LOT02
Batch#: ; Batch Size: g
Sample Received: 10/28/2025; Report Created: 11/04/2025


Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMD910LOT02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



| | | | |
|-----------------------------------------------------------------------------------|---------------|--------------------|----------|
|  | 0.003% | ND | NT |
| | Δ9 THC | Total CBD | |
| | 10.55 mg/unit | 22.08 mg/unit | |
| | Total THC | Total Cannabinoids | Moisture |

Cannabinoids

| Analyte | LOQ mg/unit | Result mg/unit | Result mg/mL |
|--------------|----------------|-------------------|-----------------|
| THCa | 3.40 | ND | ND |
| Δ9-THC | 3.40 | 10.55 | 0.03 |
| Δ8-THC | 3.40 | ND | ND |
| THCV | 3.40 | ND | ND |
| CBDa | 10.21 | ND | ND |
| CBD | 10.21 | ND | ND |
| CBDVa | 3.40 | ND | ND |
| CBDV | 3.40 | ND | ND |
| CBN | 3.40 | ND | ND |
| CBGa | 3.40 | ND | ND |
| CBG | 3.40 | 11.52 | 0.03 |
| CBC | 3.40 | ND | ND |
| Total | | 22.08 | 0.06 |

1 mL = 0.9929g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017,

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Hunter Flanagan
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02
Batch#: ; Batch Size: g
Sample Received: 10/28/2025; Report Created: 11/04/2025

Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



2510CWB0277.0892
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs
2510CWB0277.0892
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.

Certificate of Analysis

Pages 1 of 5

COMPLIANCE FOR RETAIL
PASSED

Clearwater Biotech
DAS1029007-001

Harvest/Lot ID: LEVBOMB910LOT02
Batch #: 1
Harvest Date: 10/28/25
Production Method: Other - Not Listed
Total Amount: 1 units
Retail Product Size: 1 units
Retail Serving Size: 1 units
Servings: 1

Lab ID: DAS1029007-001
Sampled: 10/28/25
Sampling Method: KP
Sample Size: 11 ml
Completed: 11/02/25

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

SAFETY RESULTS
MISC.

Pesticide
PASSED

Heavy Metals
PASSED

Microbial
PASSED

Mycotoxins
PASSED

Solvents
PASSED

Filth/Foreign
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED

Pesticide

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|------|------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm | 0.01 | 0.05 | 30 | PASS | ND | |
| TOTAL DIMETHOMORPH | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| TOTAL PERMETHRIN | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| TOTAL PYRETHRINS | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| TOTAL SPINETORAM | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| TOTAL SPINOSAD | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| ABAMECTIN 61A | ppm | 0.01 | 0.05 | 0.3 | PASS | ND | |
| ACEPHATE | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| ACEQUINOXYL | ppm | 0.01 | 0.05 | 2 | PASS | ND | |
| ACETAMIPROD | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| ALDICARB | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| AZOXYSTROBIN | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| BIFENAZATE | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| CHLORPYRIFOS | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| BIFENTHRIN | ppm | 0.01 | 0.05 | 0.5 | PASS | ND | |
| BOSCALID | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| CARBARYL | ppm | 0.01 | 0.05 | 0.5 | PASS | ND | |
| CLOFENTEZINE | ppm | 0.01 | 0.05 | 0.5 | PASS | ND | |
| CARBOURAN | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| COLMAPHOS | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| CHLORANTRANILIPROLE | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| DAMINOZIDE | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| CHLORMEQUAT CHLORIDE | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| DAZINON | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| DICHLOROVOS | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| DIMETHOATE | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| ETHOPROPHOS | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| ETOFENPROLE | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| ETOXAZOLE | ppm | 0.01 | 0.05 | 1.5 | PASS | ND | |
| FENHEXAMID | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| FENOXICARB | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantification (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 5A-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17023:2017
Accreditation PPA-Testing
97164

Signature
11/02/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Batch#: ; Batch Size: g

Sample Received: 10/28/2025; Report Created: 11/04/2025

Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51029007-001
Batch #: 1
Harvest/Lot ID: LEVBOMB910LOT02

Ordered: 10/28/25
Sampled: 10/28/25
Completed: 11/02/25

Pages 2 of 5

PASSED



Pesticide

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|------|------|-------|-----------|--------|-----------|
| FENPROXIMATE | ppm | 0.01 | 0.05 | 2 | PASS | ND | |
| FIPRONIL | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| FLONICAMID | ppm | 0.01 | 0.05 | 2 | PASS | ND | |
| FLUDIOXONIL | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| HEXYTHIAZOX | ppm | 0.01 | 0.05 | 2 | PASS | ND | |
| IMAZALIL | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| IMIDACLOPRID | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| KRESOXIM-METHYL | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| MALATHION | ppm | 0.01 | 0.05 | 2 | PASS | ND | |
| METALAXYL | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| METHOXYCARB | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| METHOMYL | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| MEVINPHOS | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| MYCLOBUTANIL | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| NALED | ppm | 0.01 | 0.05 | 0.5 | PASS | ND | |
| OXAMYL | ppm | 0.01 | 0.05 | 0.5 | PASS | ND | |
| PACLOBUTRAZOL | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| PHOSMET | ppm | 0.01 | 0.05 | 0.2 | PASS | ND | |
| PIPERONIL BUTOXIDE | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| PRALLETHIN | ppm | 0.01 | 0.05 | 0.4 | PASS | ND | |
| PROPCONAZOLE | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| PROPOXUR | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| PYRIDABEN | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| SPINOSAD | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| SPIROTETRAMAT | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| SPIROXAMINE | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| TEBUCONAZOLE | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| THIACLOPRID | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| THIAMETHOXAM | ppm | 0.01 | 0.05 | 1 | PASS | ND | |
| TRIFLOXYSTROBIN | ppm | 0.01 | 0.05 | 3 | PASS | ND | |
| PENTACHLORONITROBENZENE (PCNB) | ppm | 0.01 | 0.05 | 0.2 | PASS | ND | |
| PARATHION-METHYL | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| CAPTAN | ppm | 0.07 | 0.35 | 3 | PASS | ND | |
| CHLORDANE | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| CHLORFENAPYR | ppm | 0.01 | 0.05 | 0.1 | PASS | ND | |
| CYFLUTHRIN | ppm | 0.05 | 0.25 | 1 | PASS | ND | |
| CYPERMETHRIN | ppm | 0.05 | 0.25 | 1 | PASS | ND | |

Analysed by: 3379.SBS.1440 Weight: 0.9632g Extraction date: 10/30/25 14:19:01 Extracted by: 450.3379

Analysis Method : SOP.T.30.102.FL.SOP.T.40.102.FL
Analytical Batch : DA0922357PES
Instrument Used : DA.LCMS-003 (PES) Batch Date : 10/30/25 10:54:05
Analysed Date : 11/02/25 14:37:26

Dilution : 250
Reagent : 10/25.R36; 043025.28
Consumables : 927.100; 030125CH01; 221021DD
Pipette : NA

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 5A-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
11/02/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02
Batch#: ; Batch Size: g
Sample Received: 10/28/2025; Report Created: 11/04/2025

Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



1131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs
2510CWB0277.0892
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES
Type: Beverage

Certificate of Analysis

Clearwater Biotech, LLC Sample: DA51029007-001 Ordered: 10/28/25
1327 Miller Road Batch #: 1 Sampled: 10/28/25
Greenville, SC, 29607, US Harvest/Lot ID: LEVBOMB910LOT02 Completed: 11/02/25

PASSED

| Pesticide | | PASSED | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----|-------|-----------|--------|-----------|
| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
| <p>Analysis Method : SOP T 30 151A.FL, SOP T 40 151.FL Analytical Batch : DA092360VOL Instrument Used : DA-GCMS-011 Analyzed Date : 10/31/25 10:37:22 Batch Date : 10/30/25 11:27:50</p> <p>Dilution : 250 Reagent : 102925 R36; 043025 28; 101525 R02; 101525 R21 Consumables : 1971100; 030125003; 231021000; 11439601 Pipette : DA-080; DA-146; DA-218</p> <p><small>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</small></p> | | | | | | | |

| Residual Solvents | | PASSED | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|------|-------|-----------|--------|-----------|
| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
| 1,1-DICHLOROETHENE | ppm | 0.8 | 4 | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | ppm | 0.2 | 1 | 2 | PASS | ND | |
| 2-PROPANOL | ppm | 50 | 250 | 500 | PASS | ND | |
| ACETONE | ppm | 75 | 375 | 750 | PASS | ND | |
| ACETONITRILE | ppm | 6 | 30 | 60 | PASS | ND | |
| BENZENE | ppm | 0.1 | 0.5 | 1 | PASS | ND | |
| BUTANES (N-BUTANE) | ppm | 500 | 2500 | 5000 | PASS | ND | |
| CHLOROFORM | ppm | 0.2 | 1 | 2 | PASS | ND | |
| DICHLOROMETHANE | ppm | 12.5 | 62.5 | 125 | PASS | ND | |
| ETHANOL | ppm | 500 | 2500 | 5000 | PASS | ND | |
| ETHYL ACETATE | ppm | 40 | 200 | 400 | PASS | ND | |
| ETHYL ETHER | ppm | 50 | 250 | 500 | PASS | ND | |
| ETHYLENE OXIDE | ppm | 0.5 | 2.5 | 5 | PASS | ND | |
| HEPTANE | ppm | 500 | 2500 | 5000 | PASS | ND | |
| METHANOL | ppm | 25 | 125 | 250 | PASS | ND | |
| N-HEXANE | ppm | 25 | 125 | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | ppm | 75 | 375 | 750 | PASS | ND | |
| PROPANE | ppm | 500 | 2500 | 5000 | PASS | ND | |
| TOLUENE | ppm | 15 | 75 | 150 | PASS | ND | |
| TOTAL XYLENES | ppm | 15 | 75 | 150 | PASS | ND | |
| TRICHLOROETHYLENE | ppm | 2.5 | 12.5 | 25 | PASS | ND | |
| <p>Analysis by: 4451, 585, 1440 Weight: 0.0288g Extraction date: 10/30/25 13:32:15 Extracted by: 4451</p> <p>Analysis Method : SOP T 40 041.FL Analytical Batch : DA09236650L Instrument Used : DA-GCMS-003 Analyzed Date : 10/31/25 09:47:28 Batch Date : 10/30/25 13:03:17</p> <p>Dilution : 1 Reagent : 030420.09 Consumables : 431526; 325202 Pipette : 104-418 (25ul, Syringe - 44286); DA-418 (25ul, Syringe - 44288)</p> <p><small>Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</small></p> | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
11/02/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02
Batch#: ; Batch Size: g
Sample Received: 10/28/2025; Report Created: 11/04/2025

Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



13131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs
2510CWB0277.0892
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES
Type: Beverage

Certificate of Analysis

Pages 4 of 5

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51029007-001
Batch #: 1
Harvest/Lot ID: LEVBOMB910LOT02

Ordered: 10/28/25
Sampled: 10/28/25
Completed: 11/02/25

PASSED

Microbial

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------|-------|-----|-----|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS | | | | | PASS | Not Present | |
| SALMONELLA SPECIFIC GENE | | | | | PASS | Not Present | |
| ASPERGILLUS FUMIGATUS | | | | | PASS | Not Present | |
| ECOLI - SHIGELLA | | | | | PASS | Not Present | |
| ASPERGILLUS TERREUS | | | | | PASS | Not Present | |
| ASPERGILLUS NIGER | | | | | PASS | Not Present | |
| TOTAL YEAST AND MOLD | CFU/g | 10 | 10 | 100000 | PASS | <10 | |

Analysis by: 4571, 4892, 585, 1440 **Weight:** 1.126g **Extraction date:** 10/30/25 10:04:08 **Extracted by:** 4520

Analysis Method: SOP T.40.056C
Analytical Batch: DA092329MFC
Instrument Used: DA-111 (PathogenX Scanner), DA-010 (Thermocycler), DA-188 (36.5°C Incubator), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block)
Analyzed Date: 11/01/25 13:39:31 **Batch Date:** 10/30/25 07:18:04

Dilution: 10
Reagent: 090325.23; 090325.28; 090325.29; 092425.R32; 022825.01
Consumables: N/A
Pipette: N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analysis by: 4571, 4892, 585, 1440 **Weight:** 0.891g **Extraction date:** 10/30/25 10:06:25 **Extracted by:** 4520

Analysis Method: SOP T.40.209.FL
Analytical Batch: DA092330TYM
Instrument Used: DA-328 (25°C Incubator)
Analyzed Date: 11/01/25 13:41:53 **Batch Date:** 10/30/25 07:19:46

Dilution: 10
Reagent: 090325.23; 090325.28; 090325.29; 092425.R24
Consumables: N/A
Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

PASSED

Mycotoxins

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------|------|-------|------|-------|-----------|--------|-----------|
| AFLATOXIN B2 | ppm | 0.002 | 0.01 | 0.02 | PASS | ND | |
| AFLATOXIN B1 | ppm | 0.002 | 0.01 | 0.02 | PASS | ND | |
| OCHRATOXIN A | ppm | 0.002 | 0.01 | 0.02 | PASS | ND | |
| AFLATOXIN G1 | ppm | 0.002 | 0.01 | 0.02 | PASS | ND | |
| AFLATOXIN G2 | ppm | 0.002 | 0.01 | 0.02 | PASS | ND | |

Analysis by: 3375, 585, 1440 **Weight:** 0.9632g **Extraction date:** 10/30/25 14:19:01 **Extracted by:** 450,3379

Analysis Method: SOP T.30.102.FL, SOP T.40.102.FL
Analytical Batch: DA092339MFC
Instrument Used: DA-LCMS-004 (MYC)
Analyzed Date: 11/02/25 14:36:22 **Batch Date:** 10/30/25 11:27:39

Dilution: 250
Reagent: 102025.R36; 043025.28
Consumables: 927.100; 030125CH01; 221021DD
Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5A-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PA-Testing
97164

Signature
11/02/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0277.0892

Strain: LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Batch#: ; Batch Size: g

Sample Received: 10/28/2025; Report Created: 11/04/2025

Sampling: ; Environment:

LEVITATE BLOOD O MANGO 10mg -- LEVBOMB910LOT02

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2510CWB0277.0892

Matrix: Edible

TOPICAL, FLOWER, AND SUPPOSITORIES.

Type: Beverage



Certificate of Analysis

Pages 5 of 5

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51029007-001
Batch #: 1
Harvest/Lot ID: LEVBOMB910LOT02

Ordered: 10/28/25
Sampled: 10/28/25
Completed: 11/02/25

PASSED



Heavy Metals

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------|------|------|-----|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD METALS | ppm | 0.08 | 0.4 | 5 | PASS | ND | |
| ARSENIC | ppm | 0.02 | 0.1 | 1.5 | PASS | ND | |
| CADMIUM | ppm | 0.02 | 0.1 | 0.5 | PASS | ND | |
| MERCURY | ppm | 0.02 | 0.1 | 3 | PASS | ND | |
| LEAD | ppm | 0.02 | 0.1 | 0.5 | PASS | ND | |

Analyzed by: 4531, SSS, 1440 Weight: 0.2539g Extraction date: 10/30/25 14:36:12 Extracted by: 4531, SSS

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA092365HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 10/31/25 10:36:34
Batch Date : 10/30/25 11:52:10

Dilution : 50
Reagent : 102425.R04, 102125.R05, 102825.R04, 102325.R46, 102825.R05, 102825.R03, 100725.O2, 102825.R06
Consumables : 030125CH01, J608979-0193, 179436
Pipette : DA-061, DA-191, DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantification (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17023:2017
Accreditation PPA-Testing
97164

Signature
11/02/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.