

LLHC13

Sample ID: 2512NBL1452.4169
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 12/11/2025
Completed: 12/22/2025
Expires: 12/22/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com



Summary

Test	Date Tested	Result
Cannabinoids	12/11/2025	Complete
Residual Solvents	12/16/2025	Complete
Microbials	12/15/2025	Complete
Mycotoxins	12/18/2025	Complete
Pesticides	12/18/2025	Complete
Heavy Metals	12/17/2025	Complete
Foreign Matter	12/11/2025	Not Detected

Cannabinoids

Complete

4.940 mg/unit Total THC	0.0014% Δ9-THC	5.028 mg/unit Total CBD	9.967 mg/unit Total Cannabinoids
-----------------------------------	--------------------------	-----------------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9107	1.366	ND	ND	ND
9R-HHC	0.9107	1.366	ND	ND	ND
(6aR,9S)-d10-THC	0.9107	1.366	ND	ND	ND
9S-HHC	0.9107	1.366	ND	ND	ND
CBC	0.9107	1.366	ND	ND	ND
CBCa	0.9107	1.366	ND	ND	ND
CBD	0.9107	1.366	5.028	0.01420	0.001
CBDa	0.9107	1.366	ND	ND	ND
CBDV	0.9107	1.366	ND	ND	ND
CBDVa	0.9107	1.366	ND	ND	ND
CBG	0.9107	1.366	ND	ND	ND
CBGa	0.9107	1.366	ND	ND	ND
CBN	0.9107	1.366	ND	ND	ND
CBNa	0.9107	1.366	ND	ND	ND
Δ8-THC	0.9107	1.366	ND	ND	ND
Δ9-THC	0.9107	1.366	4.940	0.01395	0.001
THCa	0.9107	1.366	ND	ND	ND
THCp	0.9107	1.366	ND	ND	ND
THCV	0.9107	1.366	ND	ND	ND
THCVa	0.9107	1.366	ND	ND	ND
Total THC			4.940	0.01395	0.001
Total CBD			5.028	0.01420	0.001
Total			9.967	0.02816	0.003

Date Tested: 12/11/2025

Density: 1 mL = 1.029 g, Unit Mass: 364.266 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%

THC/ Serving: 4.940 mg
1 Serving: 1 Unit: 364.266 g
Total THC/ 4 Unit Pack: 19.76 mg



Ashley N Phillips

Ashley Phillips
Laboratory Director
12/22/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLHC13

Sample ID: 2512NBL1452.4169

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 12/11/2025

Completed: 12/22/2025

Expires: 12/22/2026

External Lot ID:

Batch#:

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St. New Orleans, LA 70115

(504) 266-2332 benjamink@portorleans.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.094	0.027		ND	Tested	Hexythiazox	0.090	0.027		ND	Tested
Acephate	0.090	0.027		ND	Tested	Imazalil	0.090	0.027		ND	Tested
Acequinocyl	0.090	0.027		ND	Tested	Imidacloprid	0.090	0.027		ND	Tested
Acetamiprid	0.090	0.027		ND	Tested	Kresoxim Methyl	0.090	0.027		ND	Tested
Aldicarb	0.090	0.027		ND	Tested	Malathion	0.090	0.027		ND	Tested
Azoxystrobin	0.090	0.027		ND	Tested	Metalaxyl	0.090	0.027		ND	Tested
Bifenazate	0.090	0.027		ND	Tested	Methiocarb	0.090	0.027		ND	Tested
Bifenthrin	0.090	0.027		ND	Tested	Methomyl	0.090	0.027		ND	Tested
Boscalid	0.090	0.027		ND	Tested	Mevinphos	0.090	0.027		ND	Tested
Captan	0.633	0.190		ND	Tested	MGK-264	0.090	0.027		ND	Tested
Carbaryl	0.090	0.027		ND	Tested	Myclobutanil	0.090	0.027		ND	Tested
Carbofuran	0.090	0.027		ND	Tested	Naled	0.226	0.069		ND	Tested
Chlorantraniliprole	0.090	0.027		ND	Tested	Oxamyl	0.090	0.027		ND	Tested
Chlorfenapyr	0.072	0.027		ND	Tested	Paclbutrazol	0.090	0.027		ND	Tested
Chlormequat	0.090	0.027		ND	Tested	Methyl Parathion	0.072	0.027		ND	Tested
Chlorpyrifos	0.090	0.027		ND	Tested	Pentachloronitrobenzene	0.072	0.027		ND	Tested
Clofentezine	0.090	0.027		ND	Tested	Permethrins	0.090	0.027		ND	Tested
Coumaphos	0.090	0.027		ND	Tested	Phosmet	0.090	0.027		ND	Tested
Cyfluthrin	0.452	0.136		ND	Tested	Piperonyl Butoxide	0.090	0.027		ND	Tested
Cypermethrin	0.452	0.136		ND	Tested	Prallethrin	0.090	0.027		ND	Tested
Daminozide	0.904	0.271		ND	Tested	Propiconazole	0.090	0.027		ND	Tested
Diazinon	0.090	0.027		ND	Tested	Propoxur	0.090	0.027		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyrethrins	0.452	0.136		ND	Tested
Dimethoate	0.090	0.027		ND	Tested	Pyridaben	0.090	0.027		ND	Tested
Ethoprophos	0.090	0.027		ND	Tested	Spinetoram	0.090	0.027		ND	Tested
Etofenprox	0.090	0.027		ND	Tested	Spinosad	0.092	0.027		ND	Tested
Etoxazole	0.090	0.027		ND	Tested	Spiromesifen	0.090	0.027		ND	Tested
Fenhexamid	0.090	0.027		ND	Tested	Spirotetramat	0.090	0.027		ND	Tested
Fenoxycarb	0.090	0.027		ND	Tested	Spiroxamine	0.090	0.027		ND	Tested
Fenpyroximate	0.090	0.027		ND	Tested	Tebuconazole	0.090	0.027		ND	Tested
Fipronil	0.090	0.027		ND	Tested	Thiacloprid	0.090	0.027		ND	Tested
Flonicamid	0.090	0.027		ND	Tested	Thiamethoxam	0.090	0.027		ND	Tested
Fludioxonil	0.090	0.027		ND	Tested	Trifloxystrobin	0.090	0.027		ND	Tested

Date Tested: 12/18/2025

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
12/22/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLHC13

Sample ID: 2512NBL1452.4169

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 12/11/2025

Completed: 12/22/2025

Expires: 12/22/2026

External Lot ID:

Batch#:

Client

Port Orleans Brewing Company

Lic. #

4124 Tchoupitoulas St. New Orleans, LA 70115

(504) 266-2332 benjamink@portorleans.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 12/15/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 12/18/2025

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.091		ND	Tested
Cadmium	0.046	0.091		ND	Tested
Lead	0.046	0.091		ND	Tested
Mercury	0.046	0.091		ND	Tested
Palladium	0.046	0.228		ND	Tested
Selenium	0.046	0.091		ND	Tested

Date Tested: 12/17/2025

Testing Method: ICP/MS, CON-P-7000



Ashley Phillips

Ashley Phillips
Laboratory Director
12/22/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





LLHC13

Sample ID: 2512NBL1452.4169
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 12/11/2025
Completed: 12/22/2025
Expires: 12/22/2026
External Lot ID:
Batch#:

Client
Port Orleans Brewing Company
Lic. #
4124 Tchoupitoulas St. New Orleans, LA 70115
(504) 266-2332 benjamink@portorleans.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	93.750	312.500		ND	Tested
Benzene	0.375	1.250		ND	Tested
n-Butane	86.250	287.500		ND	Tested
Isobutane	86.250	287.500		ND	Tested
Ethanol	93.750	312.500		1236.042	Tested
Ethyl Acetate	93.750	312.500		ND	Tested
Heptane	93.750	312.500		ND	Tested
n-Hexane	1.875	6.250		ND	Tested
2,2-Dimethylbutane	1.875	6.250		ND	Tested
3-Methylpentane	1.875	6.250		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.750	12.500		ND	Tested
Methanol	37.500	125.000		ND	Tested
Isopentane	86.250	287.500		ND	Tested
n-Pentane	37.500	125.000		ND	Tested
Neopentane	86.250	287.500		ND	Tested
2-Propanol	93.750	312.500		ND	Tested
Propane	375.000	1250.000		ND	Tested
Toluene	0.188	0.625		ND	Tested
Ethylbenzene	0.188	0.625		ND	Tested
m/p-Xylene	0.188	0.625		ND	Tested
o-Xylene	0.188	0.625		ND	Tested

Date Tested: 12/16/2025
Testing Method: HS-GC/MS, CON-P-8000



Ashley Phillips

Ashley Phillips
Laboratory Director
12/22/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

