

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**CUSTOMER:**

Summit Brewing Company  
910 Montreal Circle  
St. Paul, MN 55102



**SAMPLE INFORMATION**

**Sample No.:** 1333183  
**Product Name:** Trail Magic Peach Iced Tea Lemonade 5mg  
**Matrix:** Edible (Carbonated Beverage)  
**Lot #:** BA3529  
**PO #:** 075-0821

**Date Collected:** 08/25/2025  
**Date Received:** 08/25/2025  
**Date Reported:** 09/08/2025

**TEST SUMMARY**

**Cannabinoid Profile:** ✔ Pass      **Microbiological Screen:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass      **Residual Solvent Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass      **Foreign Material:** ✔ Pass  
**Mycotoxins - Minnesota:** ✔ Pass

**Cannabinoid Profile** ✔ Pass

08/27/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0135	0.00135	0.0139	4.92	4.92	5	1.65	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	ND	ND	ND	ND	ND	-	-	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	ND	-	-	-
Total THC	0.0135	0.00135	0.0139	4.92	4.92	-	-	-
Total CBD	ND	ND	ND	ND	ND	-	-	-
Total Cannabinoids	0.0135	0.00135	0.0139	4.92	4.92	-	-	-
Sum of Cannabinoids	0.0135	0.00135	0.0139	4.92	4.92	-	-	-
<b>Serving Weight (g)</b>	364.2655							
<b>Package Weight (g)</b>	364.2655							
<b>g/ml Conversion Factor</b>	1.0261							

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

09/04/2025

Analyte	Findings	Units	Method	Limit	Status
Standard Plate Count	200	cfu/g	FDA BAM	<100,000	Pass
Total Yeast & Mold	0/10	cfu/g	FDA BAM	<1,000	Pass
Bile Tolerant	<1	cfu/g	AOAC 2003.01	<150	Pass
E. coli	Not Detected	/1g	FDA BAM Modified	Absent in 1g	Pass
E. coli STEC	Not Detected	/25g	Neogen MDS STEC	Absent in 1g	Pass
L. monocytogenes	Not Detected	/25g	AOAC 2016.07	Absent in 1g	Pass
Salmonella	Not Detected	/25g	AOAC 2016.01	Absent in 1g	Pass

**Pesticide Residue Screen** ✔ Pass

08/29/2025

Method: USP 561

Instrument: GC &amp; LC MS/MS

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.025/0.075	ND	0.3	Pass
BHC-beta	0.025/0.075	ND	0.3	Pass
BHC-delta	0.025/0.075	ND	0.3	Pass
BHC-epsilon	0.025/0.075	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass
Dichlofluanid	0.08/0.25	ND	0.1	Pass
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnell)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfothion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachlorothioanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procymidone	0.03/0.1	ND	0.1	Pass
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

## Residual Solvent Screen ✔ Pass

08/28/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	5000	Pass
Ethanol	67/200	<LOQ	5000	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
n-Pentane	67/200	ND	3000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass

## Heavy Metal Screen ✔ Pass

08/29/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.003/0.05	ND	1.5	Pass
Cadmium	0.008/0.05	ND	0.5	Pass
Mercury	0.002/0.05	ND	3	Pass
Lead	0.01/0.125	ND	0.5	Pass

## Foreign Material ✔ Pass

08/29/2025

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

## Mycotoxins - Minnesota

08/29/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ	Findings	Limit	Status
Aflatoxin B1	2/5	ND	5	Pass
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Ochratoxin A	6/18	ND	-	-
Total Mycotoxins	-	ND	20	Pass

ND = None Detected  
 LOD = Limit of Detection  
 LOQ = Limit of Quantitation

Reported by

  
  
**Zachary Eisenberg**  
 Vice President



Scan to verify